


R (m)	ψ	RCmax (m)	20	25	30	35	40	45	50	55	60	65	↔(m) ⇓(kg)
65		22,0	15000	12980	10550	8830	7560	6590	5810	5170	4650	4200	
60		25,5		15000	12630	10700	9260	8140	7240	6510	5900		
55		29,5		15000	14720	12390	10660	9330	8270	7400			
50		32,5			15000	13730	11700	10140	8900				
45		34,0				15000	14480	12460	10900				
40		35,0					15000	12900					
35		35,0						15000					

R (m)	ψ/ψ	RCmax (m)	15	20	25	30	35	40	45	50	↔(m) ⇓(kg)
50		18,0	30000	26200	19780	15770	13040	11040	9520	8300	
45		17,0	30000	25150	19720	16160	13630	11750	10300		
40		18,0	30000	26680	20830	17000	14300	12300			
35		19,0	30000	28350	22190	18150	15300				

Alturas de torre / Tower height
Hauteurs de tour / Turmhöhen
Altezza della torre / Высота башни


∅ 2,5 m




n°	Ref.	∅	h
1	D36	2,5	5,5

Z máx.	En servicio / In operation / En service / In Betrieb / In servizio / При работе	7XR83..... 154 t 10XR83..... 171 t
	Fuera de servicio / Out of service / Hors service / Ausser Betrieb / Fuori servizio / В стационарном состоянии	7XR83..... 188 t 10XR83..... 249 t

Otras zonas de viento o alturas superiores consultar / Other wind zones or additional hook heights on request / Autres zones de vent ou des hauteurs supplémentaires sur demande / Andere Windzonen oder weitere Hakenhöhen auf Anfrage / Per zone con velocità del vento particolari o altezze superiori consultare il fabbricante / При других ветренных зонах о при большой высоте проконсультируйтесь с нами





Alturas de arriostamiento consultar / Height of tie frames on request / Hauteurs d'ancrages a demande / Höhe der Abspannungen auf Anfrage / Per altezze d'ancoraggio consultare il fabbricante / Проконсультируйтесь по высотам привязки к зданию





Trepado interno consultar / Climbing inside building on request / Téléscopage en bâtiment sur demande / Klettern im Gebäude auf Anfrage / Per gru rampanti in cavedio si consiglia di consultare il fabbricante / Проконсультируйтесь у нас о наращивании крана внутри здания



Otras zonas de viento o alturas superiores consultar / Other wind zones or additional hook heights on request / Autres zones de vent ou des hauteurs supplémentaires sur demande / Andere Windzonen oder weitere Hakenhöhen auf Anfrage / Per zone con velocità del vento particolari o altezze superiori consultare il fabbricante / При других ветренных зонах о при большой высоте проконсультируйтесь с нами

	AFU2-110-45
	110 kW
2 min	

	GR-12
	4x 120 Nm
0 ⇄ 0,7 rpm	

	TRA-7.5	
	4x 75 Nm	
	0 ⇄ 20 m/min	
	7XR83	10XR83

	TRA-7.5VC	
	4x 75 Nm	
	0 ⇄ 20 m/min	
	7XR83	10XR83



POTENCIA / POWER / PUISSANCE / LEISTUNG / POTENZA / МОЩНОСТЬ				Tensión de alimentación / Operating voltage / Tension de service / Betriebsspannung / Tensione di alimentazione / Напряжение источника питания	Generador / Generator / Générateur / Generator / Generatore / Генератор
Elevación / Hoist / Levage / Hub / Sollevamento / Тип механизма (подъем)	Abatimiento / Luffing / Relevage / Einziehen / Brandeggio / Складывание	Giro / Slewing / Rotation / Drehbewegung / Rotazione / Поворот	Traslación / Travel / Translation / Verfahrbewegung / Traslazione / Ход		
EFU6L-65-75	AFU2-110-45	(4x) GR-12	(4x) TRA-7.5	400 V	390 kVA
EFU4L-110-75				3ph	470 kVA
				50 Hz	

Opcional / Optional / En option / Kaufoption / Opzionale / Опционально
*



Construcciones Metálicas COMANSA S. A.

Tel.: (34) 948 335 020
Fax: (34) 948 330 810
e-mail: info@comansa.com
www.comansa.com

Polígono Urbizkain
E-31620 HUARTE-PAMPLONA.- SPAIN

3220-10213
(HTE_070.0028)

12/11

LGL500/30 t

